


AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listing of claims in the application.

Listing Of Claims:

Claim 1. (Currently Amended) A polyether urethane containing composition comprising from 40 to 80 percent by weight based on polyether urethanes in the composition, of a polyether urethane containing one reactive silane group and one or more polyether segments having a number average molecular weight of 1000 to 15,000 and a maximum total degree of unsaturation of less than 0.04 milliequivalents/g (meq/g), wherein the reactive silane groups are incorporated by the reaction of an isocyanate group with a compound corresponding to the formula




wherein

- X represents identical or different organic groups which are inert to isocyanate groups below 100°C, provided that at least two of these groups are alkoxy or acyloxy groups,
- Y represents a linear or branched alkylene group containing 1 to 8 carbon atoms and
- R₁ represents an organic group which is inert to isocyanate groups at a temperature of 100°C or less.

Claim 2. (Original) The polyether urethane of Claim 1 wherein

- X represents identical or different alkoxy groups having 1 to 4 carbon atoms,
- Y represents a linear radical containing 2 to 4 carbon atoms or a branched radical containing 5 to 6 carbon atoms and
- R₁ represents an alkyl, cycloalkyl or aromatic group having 1 to 12 carbon atoms.

Claim 3. (Currently Amended) The polyether urethane of Claim 1 wherein the reactive silane groups of component b) are incorporated as the reaction product of an isocyanate group and a compound corresponding to the formula



wherein


R_2 and R_5 are identical or different and represent organic groups

which are inert to isocyanate groups at a temperature of 100°C or less and

R_3 and R_4 are identical or different and represent hydrogen or

organic groups which are inert towards isocyanate groups at a temperature of 100°C or less.

Claim 4. (Currently Amended) The polyether urethane of Claim 1 wherein the reactive silane groups of component b) are incorporated as the reaction product of an isocyanate group and a compound corresponding to the formula



wherein

X represents identical or different alkyl or alkoxy groups having 1 to 4 carbon atoms,

Y represents a linear radical containing 2 to 4 carbon atoms or a branched radical containing 5 to 6 carbon atoms,

R_2 and R_5 are identical or different and represent alkyl groups having 1 to 4 carbon atoms and

R_3 and R_4 represent hydrogen.

Claim 5. (Original) The polyether urethane of Claim 1 wherein the polyether segments have a number average molecular weight of 3000 to 12,000.

Claim 6. (Original) The polyether urethane of Claim 2 wherein the polyether segments have a number average molecular weight of 3000 to 12,000.

Claim 7. (Original) The polyether urethane of Claim 3 wherein the polyether segments have a number average molecular weight of 3000 to 12,000.

Claim 8. (Original) The polyether urethane of Claim 4 wherein the polyether segments have a number average molecular weight of 3000 to 12,000.